

SECTION 10100 - PAINTS AND COATINGS

DO NOT SCALE THIS DRAWING
ON A 14" X 22" UNIFORM DIMENSION
ONLY.

ALL DIMENSIONS TO BE CHECKED
ON SITE PRIOR TO COMMENCING
WORK.

ANY DISCREPANCIES TO BE REPORTED
TO THE ARCHITECT IMMEDIATELY

THE QUALITY OF ALL WORKMANSHIP AND
MATERIALS TO COMPLY WITH THE
NATIONAL BUILDING REGULATIONS AND
THE RELEVANT ROAD SPECIFICATIONS.

[illegible]

ANTI-SYPHON PIPES TO BE GALVANIZED
MIL STEEL OF AN EQUAL SIZE AS THE
PIPES ARE ANTI-SYPHONING.

1. *Is it possible to have a non-terminating loop?*
2. *Is it possible to have a loop that terminates but does not return a value?*
3. *Is it possible to have a loop that terminates and returns a value?*

ALL SAMPLES REFERRED TO HEREIN ARE
AS SHOWN IN THE
ENCLOSURE

ALL VENT PIPES TO EXCEED 900 MM
ABOVE L ROOF LEVEL.

- Transmittance will be reduced by 0.0018
12 Joules lit = 146 mJ

0

Amelia

OWNER'S SIGNATURE
[Signature]

renzo Steconi


PROPOSED RESIDENCE ON
ERF 8905 HOUT BAY

BAVIAANSKLOOF ESTATE
FOR OWNER
Growing
MUNICIPAL SUBMISSION


Page 100
Date 2003-07-01

EDOC ID - 4

500




SEWERAGE SECTION




TO STRUCTURAL ENGINE
SECTION B-B



ELEVATION - 1 -





ELEVATION - 4 -




ELEVATION - 2 -

ELEVATION - 1 -



0635



09 Feb 2004

P.W.O. W

175.00

18770-001


OWNERS SIGNATURE

APPROVED BY (A)

09 Feb. 2004

Ray Windell

CONTRACTORS SIGNATURE



- A. Paved surround
- B. Coping
- C. Mosaic tiles
- D. Curved shell 100mm thick
- E. Steel reinforcing as per specification
- F. Earth

1. Backwash water may only be disposed of on this property provided that no flow or seepage of water is allowed past the boundaries and that no nuisance is created. Should the authorities find that such disposal of such water is at any future date unsatisfactory, it reserves the right to call for a sewer connection and the owner will be held responsible for any alarm and cost in respect of any damage or nuisance which may arise.
2. No soil to be banked against any fence or wall.
3. Permanent notices to be displayed at filter "This pool not to be emptied without permission from South Pools."
4. S.C.S.L. denotes self closing, self latching gates, 813 wide, x 1.5m high
5. Excavated soil to be removed from property.
6. Steel specification: 10 mm stockbar at 230 c/c both ways.

PROPOSED NEW SWIMMING POOL BY

SOUTH POOLS

M. & J. SALES C.C.

DRAWING NO

DATE: 7 2 04

FOR A MC DONALD
3 BAYANSKLOOF MOUNTAIN RETREAT
HOUTBAY.